Star Time, World Time, and Regional Time: From Earth Rotation to Civil Timekeeping

László István Orbán
Course 001 — Dolgozatok
Lecture Notes Prepared for Students and the General Public
Email: (institutional contact as applicable)

***Abstract*—Timekeeping in human society is rooted in astronomy yet constrained by geophysics, metrology, and administrative convention. This article develops a coherent account of three interconnected notions: sidereal time ("star time"), universal time ("world time"), and regional (time-zone) time. Sidereal time provides a natural angle-based measure of Earth's rotation referenced to the celestial sphere and is realized with high precision by observing meridian transits of stars of known right ascension. However, Earth's rotation is not perfectly uniform: tidal friction produces a long-term secular slowdown, and redistribution of mass in the atmosphere, oceans, and interior generates seasonal and irregular variations. Solar time aligns directly with the apparent motion of the Sun and therefore the cycle of daylight and darkness, but it is unsuitable as a uniform standard because the Sun's apparent angular speed varies due to Earth's orbital eccentricity and the obliquity of the ecliptic. Mean solar time is introduced by a fictitious mean Sun moving uniformly on the celestial equator; the difference between apparent and mean solar time is the equation of time, reaching about ± 16 minutes over the year. Universal Time (UT) formalizes mean solar time at the Greenwich meridian and must be refined for polar motion and known seasonal terms, leading to the historical sequence UT0, UT1, and UT2. Finally, civil society requires coordinated regional standards, implemented by time zones of nominal width 15° in longitude (one hour), and further modified by legal decree (e.g., daylight saving time). Throughout, we emphasize definitional clarity, observational realization, conversion relationships, and the conceptual separation between Earth-rotation-based scales and dynamical or atomic time.**

***Index Terms*—Keywords: sidereal time, solar time, mean solar time, equation of time, Universal Time (UT0/UT1/UT2), polar motion, Earth rotation irregularities, time zones, civil time, tidal braking**

I. Introduction

The alternation of day and night is the most immediate manifestation of time in everyday experience, and its fundamental cause is simple: Earth rotates about its axis while simultaneously orbiting the Sun. Yet the practical and scientific task of defining and maintaining time standards is not simple at all. What looks like a single "day" in ordinary language decomposes into multiple distinct notions of a day, depending on whether one references Earth's rotation to distant stars, to the Sun's apparent motion, or to an idealized mean Sun. Further, Earth does not rotate uniformly. The planet's rotation rate is affected by tidal dissipation, atmospheric and oceanic dynamics, and changes in the distribution of mass within the solid Earth. These effects are small in ordinary life but decisive in astronomy, navigation, geodesy, satellite tracking, and the metrology of time.

This text presents an integrated set of lecture notes on three linked topics:

1) *Sidereal time* (star time): a measure of Earth's rotation relative to the celestial sphere.
2) *Universal Time* (world time): a family of time scales tied to mean solar time at the Greenwich meridian, refined to remove observational and geophysical biases.
3) *Regional time* (time-zone time): the civil system of synchronized time used for coordination across regions, including legislated departures such as daylight saving time.

The exposition aims to be conceptually precise while remaining readable for students and non-specialists. We focus on definitions, how these definitions connect to observation, why different time scales exist, and how conventions mediate between astronomical reality and social needs. Where numerical values appear, they should be understood as representative of the classical relationships discussed historically; contemporary practice refines them using modern reference frames and atomic realizations.

II. Astronomical Foundations of Timekeeping

A. Two Motions, Two Natural Time References

Two distinct motions of Earth underpin astronomical timekeeping:

- **Rotation about its axis**: produces the daily cycle of rising and setting of celestial objects.
- **Revolution about the Sun**: produces the annual cycle of seasons and alters the apparent position of the Sun among the stars.

A time scale based purely on Earth's rotation can be defined by tracking the orientation of Earth relative to the distant celestial sphere. This leads to sidereal time. A time scale that conforms to the cycle of daylight and human activity is more naturally tied to the Sun's position in the sky. This leads to solar time. However, because Earth's

orbit is not a perfect circle and because the ecliptic is tilted relative to the celestial equator, the Sun's apparent motion is not uniform. That non-uniformity forces a distinction between *apparent* solar time and *mean* solar time.

B. Celestial Coordinates and Meridian Transit

To express these ideas quantitatively, we recall two standard celestial coordinates:

- **Right ascension** α: analogous to longitude on the celestial sphere, measured eastward along the celestial equator from the vernal equinox.
- **Hour angle** t: the angular distance of an object westward from the local meridian, measured along the celestial equator. By convention, $t = 0$ at meridian transit (culmination).

For an observer at a given location, an object crosses the local meridian once per day. The timing of such meridian transits, when applied to objects with known α, provides an observational route to determining sidereal time. This is historically central because star transits can be measured with high precision.

III. Sidereal Time (Star Time)

A. Definition of a Sidereal Day and Sidereal Second

A **sidereal day** is defined as the time interval between two successive upper culminations (meridian transits) of the same star, as observed from a fixed location on Earth. A **sidereal second** is historically defined as $\frac{1}{86\,400}$ of a sidereal day.

The defining feature of sidereal time is that it is tied to Earth's rotation relative to the celestial sphere rather than relative to the Sun. In an idealized uniform-rotation model, sidereal time is effectively proportional to the rotation angle of Earth.

B. Sidereal Time as the Hour Angle of the Vernal Equinox

A standard definitional statement is:

> The numerical value of local sidereal time is equal to the hour angle of the vernal equinox.

The **vernal equinox** (also called the **First Point of Aries** in older terminology) is the intersection of the ecliptic with the celestial equator at which the Sun crosses from south to north of the equator. In coordinate terms, it is the origin of right ascension.

Let s denote local sidereal time (expressed as an angle or as hours of rotation). Let α be the right ascension of a star, and t its hour angle. Then, by the geometry of the equatorial coordinate system, one has the fundamental relation

$$s = \alpha + t, \tag{1}$$

with the understanding that angles are taken modulo 24 hours (or 360°). At meridian transit, $t = 0$, so the local sidereal time equals the star's right ascension:

$$s_{\text{transit}} = \alpha. \tag{2}$$

This is why meridian-transit observations of stars with known α yield sidereal time straightforwardly and precisely.

C. Observational Realization via Star Transits

In classical observational astronomy, a transit instrument aligned with the meridian allows one to record the instant a star crosses the meridian. If the star's α is known from catalogs tied to a reference frame, then the observation provides a measurement of local sidereal time at that instant. Repeated observations average down random error and can yield high precision.

Sidereal time is therefore, in principle, both definable and realizable by astronomical observation without reference to clocks that purport to keep mean solar time. Historically, this made sidereal time a key intermediary between the geometry of the sky and the practical maintenance of time in observatories.

D. Why Sidereal Time Differs from Solar Time

A sidereal day is shorter than a mean solar day because Earth rotates in the same direction as it revolves around the Sun. In one full rotation relative to the stars, Earth has moved slightly along its orbit. Consequently, the Sun is not yet back on the meridian after one sidereal rotation; Earth must rotate a bit more for the Sun to culminate again. Therefore, the solar day exceeds the sidereal day.

A widely cited approximate relation is:

$$1 \text{ mean solar day} \approx 24^{\text{h}}\,3^{\text{m}}\,56.555^{\text{s}} \quad \text{(in sidereal units)}, \tag{3}$$

$$1 \text{ sidereal day} \approx 23^{\text{h}}\,56^{\text{m}}\,4.091^{\text{s}} \quad \text{(in mean solar units)}. \tag{4}$$

These relations encode the fact that Earth completes about 366.24 sidereal rotations per year but only about 365.24 mean solar days per year.

IV. Solar Time: Apparent and Mean

A. Apparent (True) Solar Time

Apparent solar time (true solar time) is defined by the Sun's apparent position in the sky. Specifically, it may be defined as a measure proportional to the hour angle of the Sun's center. An **apparent solar day** is the interval between two successive meridian transits of the Sun.

Apparent solar time aligns with a sundial and with immediate human perception: noon occurs when the Sun is highest in the sky (for most latitudes and ignoring the equation-of-time correction).

B. Non-uniformity of Apparent Solar Time

Apparent solar time is not uniform. Two principal astronomical reasons explain this:

1) **Orbital eccentricity**: Earth's orbit is elliptical, so Earth's orbital angular speed varies (faster near perihelion, slower near aphelion), causing the Sun's apparent eastward motion along the ecliptic to vary.

2) **Obliquity of the ecliptic**: the ecliptic is inclined by about $\varepsilon \approx 23.44^\circ$ relative to the celestial equator. Even if the Sun moved uniformly along the ecliptic, its projection onto the equator (which underlies right ascension) would not be uniform.

As a result, the Sun's right ascension does not increase uniformly over the year, and the length of the apparent solar day varies. For precise timekeeping, such variability is unacceptable.

C. Mean Solar Time and the Mean Sun

To remedy the non-uniformity of apparent solar time, **mean solar time** is defined using a fictitious body called the **mean Sun**. Conceptually, one proceeds in two steps:

1) Introduce a fictitious Sun moving uniformly along the ecliptic such that it completes a revolution in the same time as the real Sun and coincides with the real Sun at a specified reference event (e.g., perihelion).
2) Project this motion onto the celestial equator and then replace it by an equivalent uniform motion *along the equator*, defining the **equatorial mean Sun**.

Mean solar time is then the hour angle of this equatorial mean Sun. This construction ensures that the mean Sun moves at constant angular speed along the equator, yielding a uniform mean solar day by definition (subject to the irregularities of Earth's rotation discussed later).

D. The Equation of Time

The **equation of time** is the difference between apparent solar time and mean solar time:

$$E(t) = T_{\text{apparent}}(t) - T_{\text{mean}}(t), \tag{5}$$

with sign conventions varying by tradition. In practical terms, $E(t)$ tells you how much a sundial differs from a clock that keeps mean solar time. Over the year, the magnitude of the equation of time can approach about 16 minutes.

A qualitative interpretation is instructive. The equation of time combines:

- an *eccentricity component* (related to Keplerian non-uniform motion in the orbit), and
- an *obliquity component* (related to projecting ecliptic longitude into right ascension).

The superposition yields a characteristic annual curve with multiple extrema.

V. From Astronomical Definitions to Practical Clocks

A. Civil Time as a Mean-Solar Convention

In daily life, the times printed on schedules and displayed on ordinary clocks are not sidereal times and not apparent solar times. They are intended to approximate mean solar time while being consistent across a region. This leads to two layers of convention:

1) A **reference meridian** and a definition of **world time**.
2) A division of the globe into **time zones**, such that an entire region uses the same civil time.

Historically, a further practical point is that changing the date at midnight is socially more convenient than changing the date at noon. Thus, civil time is typically offset by 12 hours relative to an astronomical convention that once counted the day from noon. Modern civil practice takes midnight as the start of the day.

B. Why Mean Solar Time Is Not Perfectly Uniform

Even if the mean Sun is defined to move uniformly, the conversion between a uniform theoretical time and Earth's actual rotation is complicated by Earth-rotation irregularities. Mean solar time depends on the actual orientation of Earth, and Earth does not rotate at a strictly constant angular velocity.

In the pre-atomic era, timekeeping used Earth rotation as the ultimate reference. Yet the discovery and quantification of rotation irregularities led to the separation between Earth-rotation time scales and dynamical time scales, and eventually to atomic time as the practical realization of a uniform time standard.

VI. Earth Rotation Irregularities

A. Physical Causes

Earth's rotation rate varies due to multiple mechanisms:

- **Tidal friction**: gravitational tides raised by the Moon and the Sun dissipate energy in oceans and solid Earth, transferring angular momentum and producing a long-term slowing of Earth's rotation.
- **Seasonal mass redistribution**: atmosphere and oceans exchange angular momentum with the solid Earth, producing annual and semiannual variations in the length of day.
- **Irregular (stochastic) variations**: episodic changes in winds, ocean currents, and processes in the liquid outer core lead to fluctuations that are not strictly periodic.

B. Secular Trend and Geological Evidence

Over long time scales, tidal dissipation produces a secular increase in the length of day. Geological and paleontological proxies, such as growth patterns in corals and other organisms that record daily and seasonal cycles, provide evidence that the number of days per year has changed over Earth's history. These records support the conclusion that Earth's rotation has gradually slowed, making days slightly longer.

A representative classical figure states that the day lengthens by approximately 0.0016 s per century. The precise value depends on the epoch, the model, and how one separates tidal effects from other long-term processes.

C. Seasonal and Irregular Variations

Beyond secular braking, there are seasonal fluctuations. A representative order of magnitude is on the order of 0.1 s across a year (expressed as a peak-to-peak scale in some historical discussions), reflecting the annual exchange of angular momentum between the atmosphere, oceans, and solid Earth.

Irregular variations are smaller but critical for precision. Their amplitude is often on the order of a few hundredths of a second in historical treatments, and modern monitoring resolves much smaller fluctuations. For high-precision applications, even millisecond-level variations matter.

VII. Universal Time (World Time): UT0, UT1, UT2

A. Universal Time and the Greenwich Meridian

Universal Time (UT) is, in essence, mean solar time referred to the Greenwich meridian (longitude 0°). In many navigational and transportation contexts, the name **Greenwich Mean Time (GMT)** persists as a practical synonym, though modern standards prefer UT with explicit variants (UT1 in particular).

Universal Time serves as the backbone for global coordination because it ties civil time to a globally agreed reference meridian.

B. UT0: Local Determinations and Polar Motion

In principle, one can determine a UT-like quantity locally by astronomical observations (e.g., star transits) combined with knowledge of the observer's longitude. However, Earth is not a rigid body with a fixed rotation axis in the crust. The rotation axis undergoes **polar motion**: it moves relative to Earth's surface by a small amount.

As a result, a local observation-based universal time depends slightly on where on Earth it is observed. This local, uncorrected determination is traditionally denoted **UT0**. It is sensitive to polar motion and to other small site-dependent effects.

C. UT1: Correcting for Polar Motion

By monitoring polar motion using a global network of observatories (and, in modern times, using space geodetic techniques), one can correct UT0 determinations for the instantaneous position of the pole. After correction and appropriate combination of observations, one obtains **UT1**, a time scale intended to represent Earth rotation with site dependence largely removed.

UT1 is thus the principal Earth-rotation-based realization of universal time for many scientific and technical applications. It reflects the true rotation angle of Earth relative to an inertial reference, within the limits set by observational and definitional conventions.

D. UT2: Removing Predictable Seasonal Terms

UT1 still contains seasonal variations in Earth's rotation rate. Because certain annual components are sufficiently regular, one may remove them via a model correction, yielding **UT2**. Historically, UT2 was regarded as a more uniform Earth-rotation time scale than UT1.

In classical accounts, UT2 residual random variations, when compared to a more uniform dynamical scale, rarely exceeded about 5 ms. However, UT2 is now largely of historical interest because atomic time scales provide superior uniformity and accessibility, and because the community converged on UT1 as the Earth-rotation quantity of operational relevance (e.g., for relating Earth orientation to atomic time and defining leap seconds).

E. Practical Status of UT Variants

The UT sequence reflects an evolution in how one treats geophysical effects:

- UT0: local, observation-dependent, includes polar motion effects.
- UT1: corrected for polar motion, global Earth-rotation measure.
- UT2: UT1 with modeled seasonal terms removed, historically used for uniformity.

In contemporary usage, UT1 remains central for Earth orientation. The concept of UT2 persists mainly in historical documentation and pedagogy.

VIII. Dynamical Time, Ephemeris Time, and the Need for Uniform Scales

A. Earth-Rotation Time vs. Dynamical Time

A crucial conceptual point is that an Earth-rotation-based time scale is not identical to a time scale suited for dynamical astronomy. The equations of celestial mechanics presume a uniform time parameter. If one uses an irregular Earth-rotation measure, planetary motions appear to exhibit spurious deviations: periodic, random, and secular discrepancies not attributable to gravitational dynamics but to the non-uniformity of the clock (Earth rotation).

Historically, this motivated the introduction of **ephemeris time (ET)**: a dynamical time scale defined so that planetary motions, computed from gravitational theory, match observations without systematic timing residuals attributable to Earth's rotation.

B. The Difference Between Ephemeris Time and Universal Time

The difference between ephemeris time and universal time is often denoted

$$\Delta T = \mathrm{ET} - \mathrm{UT}. \tag{6}$$

In historical contexts, ΔT can be on the order of tens of seconds and changes over time, reflecting the cumulative effect of Earth's long-term rotational slowdown and shorter-term variations.

While the numerical example in older lecture materials may cite a value on the order of +63 s for a particular year and an annual growth of about 1 s per year, such numbers are epoch-dependent and should be treated as illustrative of the phenomenon rather than as fixed constants.

C. Atomic Time and Modern Practice

Although the present notes emphasize sidereal time, solar time, and UT, the modern landscape of timekeeping is dominated by atomic time scales (e.g., TAI) and coordinated civil time (UTC). Atomic clocks provide a highly uniform realization of the SI second, and UTC is maintained close to UT1 by inserting leap seconds when necessary.

This modern arrangement can be summarized conceptually:

- **Atomic time** provides uniformity.
- **UT1** provides Earth orientation (rotation angle).
- **UTC** provides a compromise: a uniform atomic basis with occasional adjustments to remain aligned with Earth's rotation within a bounded tolerance.

Even when one does not discuss UTC in detail, it is important for students to understand why UT-based time scales no longer serve as the fundamental metrological basis for the second, yet remain essential for relating timekeeping to the sky.

IX. Time Zones (Regional Time) and Civil Coordination

A. Motivation for Time Zones

If every location used its own local mean solar time, then traveling east or west would require continuous adjustment of clocks. For modern transportation, communication, commerce, and governance, such continual local variation is impractical.

Time zones were introduced to provide regional synchronization. The fundamental idea is to partition Earth's surface into longitudinal zones within which a single standard time is used.

B. Geometric Basis: 15° per Hour

Earth rotates 360° in approximately 24 hours, so the mean relationship is

$$15^\circ \approx 1 \text{ hour}. \tag{7}$$

Therefore, a simple time-zone scheme assigns each zone a nominal width of 15° in longitude, and the zone's standard time corresponds to the local mean solar time of the zone's central meridian.

In an idealized world of purely geometric zoning, zone boundaries would follow meridians spaced by 15°. In practice, political borders, economic ties, and geographic constraints distort these boundaries.

C. Crossing Zone Boundaries

When crossing from one time zone to the next:

- Traveling east typically requires setting clocks forward by one hour.
- Traveling west typically requires setting clocks back by one hour.

This discrete step replaces the continuous adjustment that would be required under strictly local time.

D. Decreed Time and Administrative Adjustments

Civil time is not solely a scientific construct; it is also a legal one. Governments may adopt a time standard that differs from the geometrically "natural" zone time for administrative convenience, national unity, energy policy, or other reasons. Such legally established deviations may be called **decreed time**.

A common example is **daylight saving time** (DST), in which clocks are advanced (typically by one hour) during a portion of the year. The stated goal is often to align waking hours with daylight to reduce evening lighting demand, though the net effects are complex and context-dependent.

As an illustrative historical case, European coordination in the 1990s specified a summer-time period running from a spring transition to an autumn transition, defined by specific Sundays and referenced to UT. The details of such regulations change over time, but the underlying point remains: regional time is a hybrid of astronomical reference and legislative decision.

X. Interrelationships and Conversions

A. From Star Transits to Universal Time

Because sidereal time can be determined accurately from star transits and because a known longitude connects local sidereal time to a reference meridian, it is possible in principle to compute a UT-like quantity from local observations. However, the chain from sidereal observations to civil time requires corrections:

- the transformation between sidereal time and mean solar time (accounting for the differing day lengths and the chosen reference epoch),
- the correction for polar motion (moving from UT0 to UT1),
- and, in modern contexts, the relationship between UT1 and UTC.

Historically, civil timekeeping made direct use of empirical transformation formulas linking observables (star transits) to the desired time scale. The necessity of empirical components reflects the fact that Earth rotation is not perfectly predictable from first principles at the required precision.

B. The Conceptual Role of ΔT

The parameter ΔT (as ET–UT) encodes the accumulated discrepancy between a uniform dynamical (or atomic) time scale and an Earth-rotation-based time scale.

It is not merely a theoretical curiosity: it affects the reduction of historical observations, eclipse predictions, and the reconstruction of Earth rotation history.

XI. Pedagogical Synthesis: What Each Time Scale Is For

A concise way to organize the landscape is by the question each time scale answers:

- **Sidereal time**: What is Earth's rotation angle relative to the distant celestial sphere? When will a star of right ascension α transit?
- **Apparent solar time**: What would a sundial read? When is the Sun on the meridian *today*?
- **Mean solar time**: What is a smoothed solar-based civil time at a location, abstracting away the equation of time?
- **Universal Time (UT1)**: What is mean solar time at Greenwich, corrected for polar motion and used to express Earth orientation?
- **Regional (time-zone) time**: What time should clocks show across a region for coordination, given political boundaries and practical constraints?

The student should recognize that no single time scale simultaneously satisfies all desiderata: astronomical measurability, dynamical uniformity, and social convenience. Modern systems therefore combine multiple scales, each used for what it does best.

XII. Conclusion

Timekeeping emerges from the interplay between astronomy, geophysics, metrology, and social convention. Sidereal time provides a clean geometrical measure of Earth's rotation relative to the celestial sphere and is observed with high precision through star transits. Solar time aligns naturally with human experience but is inherently non-uniform in its apparent form; mean solar time is a corrective idealization introduced through the mean Sun and quantified via the equation of time. Universal Time formalizes mean solar time at Greenwich and must be refined to account for polar motion and predictable seasonal variations, giving rise historically to UT0, UT1, and UT2. Regional time zones, in turn, translate global astronomical reference into practical civil coordination, while decreed adjustments such as daylight saving time illustrate the decisive role of administrative choice.

The overarching lesson is that "time" is not a single entity but a family of related scales. Clarity about definitions and purposes is essential: sidereal time for orientation with respect to the stars, UT1 for Earth rotation, dynamical or atomic scales for uniform physics, and time zones for civil life. Understanding these distinctions equips students to navigate both the historical development of timekeeping and its modern implementations in science and society.

References

[1] S. Aoki, B. Guinot, G. H. Kaplan, H. Kinoshita, D. D. McCarthy, and P. K. Seidelmann, "The new definition of universal time," *Astronomy and Astrophysics*, vol. 105, pp. 359–361, 1982.

[2] D. D. McCarthy and P. K. Seidelmann, *Time: From Earth Rotation to Atomic Physics*. Weinheim, Germany: Wiley-VCH, 2009.

[3] P. K. Seidelmann, ed., *Explanatory Supplement to the Astronomical Almanac*, 3rd ed. Mill Valley, CA, USA: University Science Books, 2013.

[4] G. Petit and B. Luzum, eds., *IERS Conventions (2010)*, IERS Technical Note No. 36. Frankfurt am Main, Germany: Verlag des Bundesamts für Kartographie und Geodäsie, 2010.

[5] N. Capitaine, P. T. Wallace, and D. D. McCarthy, "Expressions to implement the IAU 2000 definition of UT1," *Astronomy and Astrophysics*, vol. 355, pp. 398–405, 2000.

[6] F. R. Stephenson and L. V. Morrison, "Long-term fluctuations in the Earth's rotation: 700 BC to AD 1990," *Philosophical Transactions of the Royal Society of London A*, vol. 351, no. 1695, pp. 165–202, 1995.

[7] R. A. Nelson, D. D. McCarthy, S. Malys, J. Levine, B. Guinot, F. Arias, and A. Beard, "The leap second: Its history and possible future," *Metrologia*, vol. 38, no. 6, pp. 509–529, 2001.

[8] U.S. Naval Observatory, "Astronomical Applications Department: Time Service," https://aa.usno.navy.mil/, accessed 2026-03-09.

[9] Bureau International des Poids et Mesures (BIPM), "Time Department and TAI/UTC," https://www.bipm.org/en/time-metrology, accessed 2026-03-09.

[10] L. I. Orbán, "Star time, world time, zone time (lecture-based notes; historical source context)," *Nature World (historical publication context)*, vol. 128, no. 11, pp. 485–490, 1997.